

## License for Use of Current Procedural Terminology, Fourth Edition (CPT)

### Notice

The CPT code descriptions herein have been shortened to 28 characters or less to comply with copyright restrictions. Please refer to the current CPT for complete descriptions.

CPT is copyright 2010 American Medical Association (AMA). All rights reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS restrictions apply to government use.

You, your employees and agents are authorized to use CPT internally within your organization for the sole use by yourself, employees and agents. You agree to take all necessary steps to insure that your employees and agents abide by the terms of this agreement.

Any use not authorized herein is prohibited, including by way of illustration and not by way of limitation, making copies of CPT for resale and/or license, transferring copies of CPT to any party not bound by this agreement, creating any modified or derivative work of CPT, or making any commercial use of CPT. You should contact CPT Intellectual Property Services, American Medical Association, 515 N. State Street, Chicago, Illinois 60610 or at telephone number 312.464.5022 or at facsimile number 312.464.5131, should you wish to make additional uses of CPT.

Applicable FARS/DFARS Restrictions Apply to Government Use. U.S. Government rights to use, modify, reproduce, release, perform, display, or disclose these technical data and/or computer data bases and/or computer software and/or computer software documentation are subject to the limited rights restrictions of DFARS 252.227-7015(b)(2)(June 1995) and/or subject to the restrictions of DFARS 227.7202-1(a)(June 1995) and DFARS 227.7202-3(a)(June 1995), as applicable for U.S. Department of Defense procurements and the limited rights restrictions of FAR 52.227-14(June 1987) and/or subject to the restricted rights provisions of FAR 52.227-14(June 1987) and FAR 52.227-19(June 1987), as applicable, and any applicable agency FAR Supplements, for non-Department of Defense Federal procurements.

### Disclaimer of Warranties and Liabilities

CPT is provided "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose. No fee schedules, basic unit, relative values or related listings are included in CPT. The American Medical Association (AMA) does not directly or indirectly practice medicine or dispense medical services. The responsibility for the content of this file/product is the Health Care Financing Administration and no endorsement by the AMA is intended or implied. The AMA disclaims responsibility for any consequences or liability attributable to or related to any use, non-use, or interpretation of information contained or not contained in this file/product.

This Agreement will terminate upon notice if you violate its terms. The AMA is a third party beneficiary to this Agreement.

## CHA/P CPT and HCPCS Codes

| CODE  | DESCRIPTION                  |
|-------|------------------------------|
| 10060 | Drainage of skin abscess     |
| 10061 | Drainage of skin abscess     |
| 10120 | Remove foreign body          |
| 10160 | Puncture drainage of lesion  |
| 11400 | Exc tr-ext b9+marg 0.5 < cm  |
| 11401 | Exc tr-ext b9+marg 0.6-1 cm  |
| 11402 | Exc tr-ext b9+marg 1.1-2 cm  |
| 11403 | Exc tr-ext b9+marg 2.1-3 cm  |
| 11404 | Exc tr-ext b9+marg 3.1-4 cm  |
| 11406 | Exc tr-ext b9+marg > 4.0 cm  |
| 11420 | Exc h-f-nk-sp b9+marg 0.5 <  |
| 11421 | Exc h-f-nk-sp b9+marg 0.6-1  |
| 11422 | Exc h-f-nk-sp b9+marg 1.1-2  |
| 11423 | Exc h-f-nk-sp b9+marg 2.1-3  |
| 11424 | Exc h-f-nk-sp b9+marg 3.1-4  |
| 11426 | Exc h-f-nk-sp b9+marg > 4 cm |
| 11440 | Exc face-mm b9+marg 0.5 < cm |
| 11441 | Exc face-mm b9+marg 0.6-1 cm |
| 11442 | Exc face-mm b9+marg 0.6-1 cm |
| 11443 | Exc face-mm b9+marg 0.6-1 cm |
| 11444 | Exc face-mm b9+marg 3.1-4 cm |
| 11446 | Exc face-mm b9+marg > 4 cm   |
| 11720 | Debride nail 1-5             |
| 11721 | Debride nail 6 or more       |
| 11765 | Excision of nail fold toe    |
| 12001 | Repair superficial wound(s)  |
| 12002 | Repair superficial wound(s)  |
| 16000 | Initial treatment of burn(s) |
| 16020 | Dress/debrid p-thick burn s  |
| 16025 | Dress/debrid p-thick burn m  |
| 16030 | Dress/debrid p-thick burn l  |
| 21310 | Treatment of nose fracture   |
| 21450 | Treat lower jaw fracture     |
| 21800 | Treatment of rib fracture    |
| 23500 | Treat clavicle fracture      |
| 23620 | Treat humerus fracture       |
| 23650 | Treat shoulder dislocation   |
| 24500 | Treat humerus fracture       |
| 25500 | Treat fracture of radius     |

\* Indicates QW Modifier Required  
CHA/P Codes

| CODE   | DESCRIPTION                  |
|--------|------------------------------|
| 26600  | Treat metacarpal fracture    |
| 27193  | Treat pelvic ring fracture   |
| 27500  | Treatment of thigh fracture  |
| 27508  | Treatment of thigh fracture  |
| 27510  | Treatment of thigh fracture  |
| 27750  | Treatment of tibia fracture  |
| 28400  | Treatment of heel fracture   |
| 29105  | Apply long arm splint        |
| 29125  | Apply forearm splint         |
| 29130  | Application of finger splint |
| 29200  | Strapping of chest           |
| 29240  | Strapping of shoulder        |
| 29260  | Strapping of elbow or wrist  |
| 29280  | Strapping of hand or finger  |
| 29505  | Application long leg splint  |
| 29515  | Application lower leg splint |
| 29550  | Strapping of toes            |
| 30300  | Remove nasal foreign body    |
| 30901  | Control of nosebleed         |
| 30903  | Control of nosebleed         |
| 30905  | Control of nosebleed         |
| 30906  | Repeat control of nosebleed  |
| 36415  | Routine venipuncture         |
| 36680  | Insert needle bone cavity    |
| 51701  | Insert bladder catheter      |
| 51702  | Insert temp bladder cath     |
| 59409  | Obstetrical care             |
| 59414  | Deliver placenta             |
| 59899  | Maternity care procedure     |
| 65205  | Remove foreign body from eye |
| 65210  | Remove foreign body from eye |
| 69200  | Clear outer ear canal        |
| 69210  | Remove impacted ear wax      |
| 81000  | Urinalysis nonauto w/scope   |
| 81001  | Urinalysis auto w/scope      |
| 81025  | Urine pregnancy test         |
| 82962  | Glucose blood test           |
| 83013  | H pylori (c-13) breath       |
| 83014  | H pylori drug admin          |
| 83026  | Hemoglobin copper sulfate    |
| 83036* | Glycosylated hemoglobin test |

\* Indicates QW Modifier Required  
CHA/P Codes

| CODE   | DESCRIPTION                  |
|--------|------------------------------|
| 85018* | Hemoglobin                   |
| 85610* | Prothrombin time             |
| 86580  | TB intradermal test          |
| 87081  | Culture screen only          |
| 87210* | Smear wet mount saline/ink   |
| 87320  | Chylmd trach ag eia          |
| 87804* | Influenza assay w/optic      |
| 87880* | Strep a assay w/optic        |
| 90371  | Hep b ig im                  |
| 90460  | Imadm any route 1st vac/tox  |
| 90461  | Inadm any route addl vac/tox |
| 90470  | Immune admin H1N1 im/nasal   |
| 90471  | Immunization admin           |
| 90473  | Immune admin oral/nasal      |
| 90632  | Hep a vaccine adult im       |
| 90636  | Hep a/hep b vacc adult im    |
| 90649  | Hpv vaccine 4 valent im      |
| 90650  | Hpv vaccine 2 valent im      |
| 90655  | Flu vaccine no preserv 6-35m |
| 90656  | Flu vaccine no preserv 3 & > |
| 90657  | Flu vaccine 3 yrs im         |
| 90658  | Flu vaccine 3 yrs & > im     |
| 90660  | Flu vaccine nasal            |
| 90680  | Rotovirus vacc 3 dose oral   |
| 90707  | Mmr vaccine sc               |
| 90715  | Tdap vaccine >7 im           |
| 90716  | Chicken pox vaccine sc       |
| 90732  | Pneumococcal vaccine         |
| 90736  | Zoster vacc sc               |
| 90746  | Hep b vaccine adult im       |
| 90748  | Hep b/hib vaccine im         |
| 92551  | Pure tone hearing test air   |
| 92552  | Pure tone audiometry air     |
| 92567  | Tympanometry                 |
| 92950  | Heart/lung resuscitation cpr |
| 94640  | Airway inhalation treatment  |
| 94760  | Measure blood oxygen level   |
| 94761  | Measure blood oxygen level   |
| 96360  | Hydration iv infusion init   |
| 96365  | Ther/proph/diag iv inf init  |
| 96372  | Ther/proph/diag inj sc/im    |

\* Indicates QW Modifier Required  
CHA/P Codes

| CODE  | DESCRIPTION                             |
|-------|---|
| 96374 | Ther/proph/diag inj iv push             |
| 99050 | Medical services after hrs              |
| 99173 | Visual acuity screen                    |
| 99201 | Office/outpatient visit new             |
| 99202 | Office/outpatient visit new             |
| 99203 | Office/outpatient visit new             |
| 99204 | Office/outpatient visit new             |
| 99205 | Office/outpatient visit new             |
| 99211 | Office/outpatient visit est             |
| 99212 | Office/outpatient visit est             |
| 99213 | Office/outpatient visit est             |
| 99214 | Office/outpatient visit est             |
| 99215 | Office/outpatient visit est             |
| 99341 | Home visit new patient                  |
| 99342 | Home visit new patient                  |
| 99343 | Home visit new patient                  |
| 99347 | Home visit est patient                  |
| 99348 | Home visit est patient                  |
| 99349 | Home visit est patient                  |
| 99381 | Init pm e/m new pat inf                 |
| 99382 | Init pm e/m new pat 1-4 yrs             |
| 99383 | Init pm e/m new pat 1-4 yrs             |
| 99384 | Init pm e/m new pat 1-4 yrs             |
| 99385 | Prev visit new age 18-39                |
| 99391 | Per pm reeval est pat inf               |
| 99392 | Prev visit est age 1-4                  |
| 99393 | Prev visit est age 5-11                 |
| 99394 | Prev visit est age 12-17                |
| 99395 | Prev visit est age 18-39                |
| 99406 | Behav chng smoking 3-10 min             |
| 99407 | Behav chng smoking > 10 min             |
| 99408 | Audit/dast 15-30 min                    |
| 99409 | Audit/dast over 30 min                  |
| 99461 | Init nb em per day non-fac              |
| 99465 | Nb resuscitation                        |
| 90472 | Immunization admin each add             |
| 90474 | Immune admin oral/nasal addl            |
| 96361 | Hydrate iv infusion add-on              |
| 96366 | Ther/proph/diag iv inf addon            |
| 96375 | Tx/pro/dx inj new drug addon            |
| A4267 | Contraceptive prophylactic condom, male |

| CODE  | DESCRIPTION   |
|-------|---|
| A4565 | Sling   |
| A4570 | Splint  |
| A4580 | Cast supplies, (eg, plaster)  |
| A4614 | Peak expiratory flow rate meter, hand held  |
| A4635 | Underarm pad, crutch, replacement, each   |
| E0100 | Cane, includes canes of all materials, adjustable or fixed, with tip  |
| E0114 | Crutches, underarm, other than wood, adjustable or fixed, pair, with pads, tips and handgrips   |
| J0561 | Injection, penicillin G benzathine, 100,000 units (Bicillin L-A, Permapen)  |
| J0696 | Injection, ceftriaxone sodium, per 250 mg (Brand name: Rocephin)  |
| J0885 | Injection, epoetin alfa, 1000 units (Brand name: Epogen or Procrit)   |
| J1055 | Injection, medroxyprogesterone acetate for contraceptive use, 150 mg (Depo-Provera)   |
| J1438 | Injection, etanercept, 25 mg (Brand name: Enbrel)   |
| J1885 | Injection, ketorolac tromethamine, per 15 mg (Brand name: Toradol)  |
| J2550 | Injection, promethazine HCl, up to 50 mg (Brand name: Phenergan)  |
| J3420 | Injection, vitamin B-12 cyanocobalamin, up to 1,000 mcg (Sytobex, Redisol, Rubramin PC, Betalin 12, Berubigen, Cobex, Cobal, Crystal B12, Cyano, Cyano Cobalamin, Hydroxocobalamin, Hydroxocobal, Nutri-Twelve) |
| J7030 | Infusion, normal saline solution, 1,000 cc  |
| J7120 | Ringer's lactate infusion, up to 1,000 cc   |
| J7613 | Albuterol, inhalation solution, FDA-approved final product, non-compounded product, administered through DME, unit dose, 1 mg   |
| L0120 | Cervical, flexible, nonadjustable (foam collar)   |
| L0140 | Cervical, semi-rigid, adjustable (plastic collar)   |
| L4350 | Ankle control orthosis, stirrup style, rigid, includes any type interface material, prefabricated, includes any type interface (eg, pneumatic, gel), prefabricated, includes fitting and adjustment             |
| L4360 | Walking boot, pneumatic, with or without joints, with or without interface material, prefabricated includes fitting and adjustment  |
| L4370 | Pneumatic full leg splint (e.g., air cast), prefabricated, includes fitting and adjustment  |

The CPT code descriptions herein have been shortened to 28 characters or less to comply with copyright restrictions. Please refer to the current CPT for complete descriptions.